## Amendments to the Claims:

- 1. (original) A closure for a container which comprises a cap and a locking ring; the cap being adapted in use to sealably engage the opening of the outlet neck of a container; and the locking ring being adapted in use to be mounted over the outlet neck of said container and slidable between first and second positions, such that in use in the first position, the locking ring engages said cap and thereby prevents disengagement of said cap from said opening of said container and in the second position, the locking ring is (a) disengaged from said cap thereby allowing said cap to disengage the opening of said outlet neck and (b) retained in the second position on the outlet neck of said container.
- 2. (original) A closure as claimed in claim 1 in which, the cap has a screw thread which in use, co-operates with a corresponding screw thread on the outlet neck of the container.
- 3. (currently amended) A closure as claimed in claim 1 or claim 2 having one or more co-operating locking lugs and recesses to engage the locking ring and cap.
- 4. (original) A closure as claimed in claim 3 in which the cap has one or more locking lugs which are adapted to engage corresponding locking recesses of the locking ring and/or the cap has one or more locking recesses which are adapted to engage corresponding locking lugs of the locking ring.
- 5. (original) A closure as claimed in claim 4 in which the cap has a tubular part which in use, engages the neck of the container and the cap has locking recesses in the form of longitudinal slots in the tubular part.
- 6. (currently amended) A closure as claimed in any one of the preceding claims claim 1 in which the cap is manufactured of one or more plastics materials.
- 7. (original) A closure as claimed in claim 6 in which the cap is manufactured from a thermoplastics material and a thermoplastic elastomer material.
- 8. (currently amended) A closure as claimed in any one of claims 6 to 7 claim 6 in which the cap is manufactured from more than one plastics material by sequential co-injection moulding.

- 9. (currently amended) A closure as claimed in any one of the preceding claims claim 1 in which the locking ring has one or more, typically 2 to 24, preferably 2 to 8, for example 4 or 6, outer lugs by which it may be slid from the first to the second position thereby disengaging it from the cap and allowing the cap to disengage the opening of the outlet neck.
- 10. (currently amended) A closure as claimed in any one of the precedingelaims claim 1 in which the locking ring is adapted to be retained in the second position by one or more co-operating retaining lugs and retaining recesses.
- 11. (original) A closure as claimed in claim 10 in which the locking ring has one or more retaining lugs which are adapted to engage corresponding retaining recesses of the outlet neck of the container and/or the locking ring has one or more retaining recesses which are adapted to engage corresponding retaining lugs of the outlet neck of the container.
- 12. (original) A closure as claimed in claim 11 in which the locking ring has retaining lugs and/or retaining recesses on a flexible part of the ring, which when the locking ring is slidably moved into the second position flexes to allow the retaining recesses and corresponding lugs to engage, hereby retaining the locking ring in the second position.
- 13. (currently amended) A closure as claimed in <u>claim 1</u> any one of the <u>preceding claims</u> in which the locking ring is manufactured of one or more plastics materials.
- 14. (currently amended) A container with a closure as claimed in <u>claim 1</u> anyone of the preceding claims.
- 15. (original) A container as claimed in claim 14 whenever containing liquids such as lubricating oils, especially automotive lubricating oils, for example hydrocarbon or synthetic lubricating oils.
- 16. (original) A container as claimed in claim 14 whenever containing liquids such as fuel additives, anti-freeze compositions, brake fluids and the like.
- 17. (new) A closure as claimed in claim 4 in which the locking ring is adapted to be retained in the second position by one or more co-operating retaining lugs and retaining recesses.

- 18. (new) A closure as claimed in claim 17 in which the locking ring has one or more retaining lugs which are adapted to engage corresponding retaining recesses of the outlet neck of the container and/or the locking ring has one or more retaining recesses which are adapted to engage corresponding retaining lugs of the outlet neck of the container.
- 19. (new) A closure as claimed in claim 18 in which the locking ring has retaining lugs and/or retaining recesses on a flexible part of the ring, which when the locking ring is slidably moved into the second position flexes to allow the retaining recesses and corresponding lugs to engage, hereby retaining the locking ring in the second position.
- 20. (new) A closure as claimed in claim 9 in which the locking ring is adapted to be retained in the second position by one or more co-operating retaining lugs and retaining recesses.
- 21. (new) A closure as claimed in claim 20 in which the locking ring has one or more retaining lugs which are adapted to engage corresponding retaining recesses of the outlet neck of the container and/or the locking ring has one or more retaining recesses which are adapted to engage corresponding retaining lugs of the outlet neck of the container.
- 22. (new) A closure as claimed in claim 21 in which the locking ring has retaining lugs and/or retaining recesses on a flexible part of the ring, which when the locking ring is slidably moved into the second position flexes to allow the retaining recesses and corresponding lugs to engage, hereby retaining the locking ring in the second position
- 23. (new) A closure as claimed in claim 1 in which the locking ring is manufactured of one or more plastics materials.
- 24. (new) A closure as claimed in claim 10 in which the locking ring is manufactured of one or more plastics materials.
- 25. (new) A closure as claimed in claim 12 in which the locking ring is manufactured of one or more plastics materials.
- 26. (new) A container with a closure as claimed in claim 10.

27. (new) A container with a closure as claimed in claim 12.